

Peer-reviewed research

# Efficiency Metrics: Assessing the Impacts of Grid Reliability on Energy Efficiency in Smart Systems

Khalid Zaman<sup>1</sup><sup>a</sup>, Nazish Bibi<sup>2</sup>

<sup>1</sup> Department of Economics, University of Haripur, Pakistan, <sup>2</sup> Department of Management Sciences, Government College of Management Sciences for Women, Pakistan

Keywords: Energy efficiency, Smart grid penetration, Renewable energy integration, Technology investment, China, JEL: C32 O32 Q42

<https://doi.org/10.46557/001c.94671>

---

## Energy RESEARCH LETTERS

Vol. 5, Issue Early View, 2024

---

This study explores the relationship between grid reliability and energy efficiency in China's energy landscape. Findings highlight the influence of energy efficiency in the past while revealing random effects of smart grid penetration. Demand-side management and renewable energy integration significantly increase energy efficiency. Grid reliability and technology investment enhance efficiency, although consumption pattern changes show a limited impact. Implications for policy and energy strategies are discussed.

### I. Introduction

Smart grid technologies revolutionize energy efficiency and sustainability. Demand-side management and renewable energy integration aim to enhance energy distribution, consumption, and reliability (Xie et al., 2023). Measurements are crucial, as nations enhance their energy landscapes. This study examines China's energy economy and the sensitive relationship between energy efficiency and smart grid installation. China's energy reform and innovation are global priorities. Advanced energy technology has developed due to carbon emission reduction, renewable energy integration, and reliable energy access. Energy transformation demands smart grid integration (Fina & Monsberger, 2023). Smart grid technology has raised energy efficiency and environmental concerns. Prior research has discussed smart grid energy efficiency concerns. According to Kataray et al. (2023), smart grids with improved monitoring, control, and communication might change energy systems; these measures can change energy use patterns, particularly during peak demand. Demand-side management reduces grid pressure by increasing off-peak power consumption (Saleem et al., 2023). Smart grid development requires renewable energy integration. These sources promote energy efficiency and sustainability. Smart grid implementation and renewable source integration may improve energy efficiency and sustainability (Cicceri et al., 2023). Thus, technology infrastructure investments (TII) are vital. Increased smart grid investments in sensors, communication networks, and metering infrastructure improve grid stability and energy efficiency (Abdullah et al., 2023).

This study investigated the complex connection between smart grid technology and energy efficiency, opening new

research avenues. We present practical actions for policy-makers and energy experts aimed at utilizing alternative energy sources. Quantifying energy efficiency correlations may enhance smart grid technology design and deployment. Smart grid sustainability is the subject of our investigation. Examining the environmental and economic consequences of technology will promote the use of sustainable energy systems. Sustainable environmental and economic strategies must align with the long-term implications of smart grid installation. Finally, we explored how TII boosts energy efficiency. Our findings may assist decision-makers in allocating resources for energy efficiency. Our research helps firms make informed technology investments for long-term energy efficiency improvements. Understanding the study's complex linkages will influence Chinese policy, energy planning, and sustainable development.

This paper begins with an outline of the inquiry. The second section details the study's materials and methods. The third section discusses the research results. Final research remarks are provided in the final section.

### II. Data and Methodology

The data was procured from the World Bank (2022). The study's variables were as follows:

#### Dependent Variable

**A. Energy Efficiency (EE):** It assesses the productivity of the smart grid and energy management systems. An economy's energy efficiency is measured by primary energy intensity (MJ/\$2017 PPP GDP). Energy efficiency rises with

---

a Corresponding author email: [khalid\\_zaman786@yahoo.com](mailto:khalid_zaman786@yahoo.com)

reduced energy intensity, because less energy produces the same economic output.

### Independent variables

**The Smart Grid Penetration Rate (SGPR):** It measures the incorporation of smart grid technologies into energy infrastructure—the percentage of the grid using smart grid solutions. SGPR is measured by renewable energy output (kWh), excluding hydropower.

**Demand-Side Management Implementation (DSMI):** It assesses the success of demand-side management measures, such as time-of-use pricing, demand response programs, and load-shifting strategies. It is represented by the percentage of the population with electricity.

**Renewable Energy Integration (REI):** It assesses the influence of renewable energy sources on the energy mix in the grid. Renewable Energy Consumption illustrates how much a country or region relies on renewable energy as a proportion of Total Final Energy Consumption.

**Grid Reliability Metrics (GRM):** It evaluates power outage frequency, duration, voltage stability, and resilience. These measures show smart grid resilience. Transmission and distribution lose a percentage of electric power production. Higher losses may reduce grid reliability.

**Technical Infrastructure Investment (TII):** It evaluates smart grid projects. This variable measures a firm's commitment to a high-technology energy management system. A greater research and development (R&D) expenditure percentage of GDP focuses on innovation and advanced technologies, including smart grid components.

**Energy Consumption Patterns (ECP):** It examines energy use patterns before and after smart grid deployment. This may impact peak demand, load distribution, and consumption. The percentage of oil, gas, and coal electricity production measures energy demand. Smart grids and renewable energy may transform energy use.

Energy efficiency increases with SGPR and innovation dissemination. Behavioral theories of energy consumption have introduced DSMI, which may boost energy efficiency. REI may improve EE by lowering dependence on non-renewable sources, linking it to sustainability ideas (Liu et al., 2023). Grid dependability indicators boost EE by stabilizing energy systems and reducing energy losses. TII supports resource-based theories because higher investments improve energy efficiency. Socio-economic and environmental theories affect energy use (Perez-Bezos et al., 2023). Understanding these tendencies may boost energy efficiency.

The Generalized Method of Moments (GMM) is a widely used statistical technique in time series modeling that allows researchers to estimate model parameters while accounting for potential endogeneity and other sources of bias. Regarding EE modeling, with the provided variables, GMM can provide valuable insights into the relationships between the dependent variable, i.e., *EE*, and the independent variables. The GMM identifies a time that captures the relationship between the variables and estimating the parameters that minimize the discrepancy between the sample and theoretical moments. Equation (1) shows the GMM specification for estimation, i.e.,

$$\ln(EE)_t = \alpha_0 + \alpha_1 \ln(SGPR)_t + \alpha_2 \ln(DSMI)_t + \alpha_3 \ln(REI)_t + \alpha_4 \ln(GRM)_t + \alpha_5 \ln(TII)_t + \alpha_6 \ln(ECP)_t + \varepsilon_t \quad (1)$$

Where,

EE shows Energy Efficiency

SGPR shows Smart Grid Penetration Rate

DSMI shows Demand-Side Management Implementation

REI shows Renewable Energy Integration

GRM shows Grid Reliability Metrics

TII shows Technical Infrastructure Investment

ECP shows Energy Consumption Patterns

$\alpha_0$  shows constant, while  $\alpha_1$  to  $\alpha_6$  are the slope of the coefficients

'ln' shows natural logarithm, 't' shows time period, and  $\varepsilon$  shows error term.

The GMM estimate technique was employed in this study, because it addresses endogeneity and other statistical biases in panel data analysis. Although instrumental variable (IV) methodologies and fixed effects models can be used, the GMM is often preferred because it tackles endogeneity, especially where IV estimation instruments are scarce.

### III. Analysis and Discussion

[Table 1](#) shows the descriptive statistics of the variables. The average *EE* score was approximately 9.75, which indicates the mean of *EE* levels in the dataset. The negative skewness of -1.14 suggests that the distribution of *EE* scores is skewed to the left with potentially higher scores. The kurtosis value of 2.67 indicates that the distribution's tails are heavier than those of a normal distribution, signifying some peakedness.

Smart grid technology adoption and integration averaged 65,500,000,000. The positive skewness of 1.33 suggests a right-skewed distribution with lower values. The average *DSMI* was 97.85. A somewhat right-skewed distribution with a positive skewness of 0.69 suggests a concentration of lower values. *REI* averaged 24.89, indicating the grid's renewable energy sources. Average *GRM* was 6.78. The average *TII* was 1.13, indicating smart grid investments. Average *ECP* was 78.82; *ECP* compares energy usage before and after smart grid adoption. Left-skewed distributions with -0.75 skewness may concentrate greater values. [Table 2](#) provides GMM estimations for reference.

The Lagged *EE* coefficient was 0.768. This positive correlation shows that previous *EE* levels significantly affect present *EE*. The *SGPR* coefficient was -3.69E-12, suggesting that *SGPR* decreases *EE*. This finding suggests that smart grid solutions may slowly improve *EE* (Waseem et al., 2023).

The *DSMI* coefficient was -0.047. Thus, more demand-side control reduces *EE*. *DSMI* strategies may temporarily counterbalance their efficiency advantages due to initial expenses and modifications. The positive *REI* coefficient, 0.044, suggests that the grid integration of renewable energy sources may improve *EE*. This supports the economic argument that renewable sources are more efficient and sustainable (Bai & Song, 2023).

**Table 1. Descriptive Statistics**

Methods	EEF	SGPR	DSMI	REI	GRM	TII	ECP
Mean	9.75	6.55E+10	97.84	24.89	6.77	1.12	78.82
Maximum	10.89	2.84E+11	100	33.91	8.24	2.40	82.84
Minimum	6.31	68000000	96.74	11.34	5.47	0.56	72.96
Std. Dev.	1.67	1.10E+11	1.41	9.27	0.90	0.67	3.23
Skewness	-1.13	1.33	0.68	-0.36	-0.09	0.68	-0.75
Kurtosis	2.66	2.96	1.64	1.32	1.81	1.87	2.31

Note: This table presents the descriptive statistics of the variables, including the maximum value, minimum value, and mean. It also displays the standard deviation, skewness, and kurtosis of the variables.

**Table 2. GMM Estimates**

Variables	Coefficient	Std. Error	t-Statistic	Prob.
EEF(-1)	0.76	0.13	5.54	0.00
SGPR	-3.69E-12	7.18E-13	-5.14	0.00
DSMI	-0.04	0.02	-2.06	0.04
REI	0.04	0.02	1.91	0.06
GRM	0.33	0.11	2.88	0.00
TII	-0.53	0.17	-3.01	0.00
ECP	0.08	0.01	0.54	0.58
<b>Statistical Test</b>				
R <sup>2</sup>	0.99		J-statistic	0.11
Adjusted R <sup>2</sup>	0.99		Prob(J-statistic)	0.73
Instrument rank	8			

Note: This table presents the GMM estimates of the variables, along with their coefficient values, standard errors, *t*-statistics, and probability values. Note: Dependent variable: EE.

The *GRM* coefficient was 0.335. A positive coefficient indicates that grid dependability improves *EE*. When the grid is dependable, interruptions and energy losses are reduced, improving *EE*. *TII* was -0.530; investment in smart grid technology decreases *EE*. Interestingly, the high initial expenses of technology adoption may take time to generate considerable efficiency advantages. The *ECP* coefficient was 0.007, indicating that changes in *ECP* before and after smart grid adoption considerably affect *EE* (Ye et al., 2023). The robustness test for GMM estimations is displayed in [Table 3](#).

This study suggests that several vital factors affect the Chinese economy's *EE*. Smart grid adoption, *DSMI*, *REI*, and *TII* negatively correlate with *EE*. This indicates that more implementation and investment in these fields lower *EE*. Integration and investment in diverse technologies and infrastructures may provide inefficiencies, challenges, or constraints. However, the positive correlation between *ECP* and *EE* suggests that changing energy consumption behavior, perhaps towards more environmentally friendly and efficient practices, improves China's energy efficiency.

#### IV. Conclusion

This study reveals that prior *EE* is a predictor of current *EE*. The data shows an association between *SGPR* and *EE*, suggesting that a delay in efficiency increases due to smart

grid implementation. *DSMI* is vital for *EE*, because it reveals its challenges and costs. As renewable energy sources provide efficiency benefits, their integration positively correlate with *EE*. *GRM* improve *EE*, emphasizing the need for reliable infrastructure. Investing in *TII* highlights the difficulties of balancing upfront costs and future rewards.

These findings affect China's energy revolution policymakers and practitioners. These methods hinge on prior efficiency advancements to increase grid reliability and optimize technological investments. This study contributes to scholarly discussions on sustainable energy transitions and sheds light on China's initiatives regarding improving *EE* in smart systems.

Submitted: August 28, 2023 AEST, Accepted: October 11, 2023 AEST

**Table 3. FMOLS Estimates**

Dependent Variable: ln(EEF)				
Variables	Coefficient	Std. Error	t-Statistic	Prob.
<i>ln(SGPR)</i>	-0.02	0.01	-2.71	0.00
<i>ln(DSMI)</i>	-19.55	2.93	-6.66	0.00
<i>ln(REI)</i>	-0.58	0.08	-6.89	0.00
<i>ln(GRM)</i>	0.12	0.12	0.99	0.32
<i>ln(TII)</i>	-0.09	0.04	-1.95	0.05
<i>ln(ECP)</i>	0.69	0.26	2.58	0.01
C	90.85	14.70	6.17	0.00
<i>R</i> <sup>2</sup>	0.98	Mean dependent var		2.25
Adjusted <i>R</i> <sup>2</sup>	0.97	S.D. dependent var		0.19

Note: This table presents the FMOLS estimates of the variables, along with their coefficient values, standard errors, t-statistics, and probability values.



This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CCBY-SA-4.0). View this license's legal deed at <https://creativecommons.org/licenses/by-sa/4.0> and legal code at <https://creativecommons.org/licenses/by-sa/4.0/legalcode> for more information.

## References

- Abdullah, A. A., El-Den, B. M., Abo-Al-Ez, K. M., & Hassan, T. M. (2023). Security Management for an Advanced Metering Infrastructure (AMI) System of Smart Electrical Grids. *Applied Sciences*, 13(15), 8990. <https://doi.org/10.3390/app13158990>
- Bai, H., & Song, Z. (2023). Lithium-Ion Battery, Sodium-Ion Battery, or Redox-Flow Battery: A Comprehensive Comparison in Renewable Energy Systems. *Journal of Power Sources*, 580, 233426. <https://doi.org/10.1016/j.jpowsour.2023.233426>
- Cicceri, G., Tricomi, G., D'Agati, L., Longo, F., Merlino, G., & Puliafito, A. (2023). A Deep Learning-Driven Self-Conscious Distributed Cyber-Physical System for Renewable Energy Communities. *Sensors*, 23(9), 4549. <https://doi.org/10.3390/s23094549>
- Fina, B., & Monsberger, C. (2023). Measures and Business Model Approaches to Facilitate the Diffusion and Integration of Energy Communities—A Special Focus on the Austrian Case. *Energy Strategy Reviews*, 49, 101161. <https://doi.org/10.1016/j.esr.2023.101161>
- Kataray, T., Nitesh, B., Yarram, B., Sinha, S., Cuce, E., Shaik, S., Vigneshwaran, P., & Roy, A. (2023). Integration of smart grid with renewable energy sources: Opportunities and challenges – A comprehensive review. *Sustainable Energy Technologies and Assessments*, 58, 103363. <https://doi.org/10.1016/j.seta.2023.103363>
- Liu, Z., Ul Islam, M., Alarifi, G. A., Cong, P. T., Khudoykulov, K., Quynh, L. N., & Hossain, M. S. (2023). Does Energy Efficiency Mediate a Green Economic Recovery? Evidence from China. *Economic Analysis and Policy*, 78, 802–815. <https://doi.org/10.1016/j.eap.2023.04.011>
- Perez-Bezos, S., Guerra-Santin, O., Grijalba, O., & Hernandez-Minguillon, R. J. (2023). Occupants' Behavioural Diversity Regarding the Indoor Environment in Social Housing. Case Study in Northern Spain. *Journal of Building Engineering*, 77, 107290.
- Saleem, M. U., Shakir, M., Usman, M. R., Bajwa, M. H. T., Shabbir, N., Shams Ghahfarokhi, P., & Daniel, K. (2023). Integrating Smart Energy Management System with Internet of Things and Cloud Computing for Efficient Demand Side Management in Smart Grids. *Energies*, 16(12), 4835. <https://doi.org/10.3390/en16124835>
- Waseem, M., Adnan Khan, M., Goudarzi, A., Fahad, S., Sajjad, I. A., & Siano, P. (2023). Incorporation of Blockchain Technology for Different Smart Grid Applications: Architecture, Prospects, and Challenges. *Energies*, 16(2), 820. <https://doi.org/10.3390/en16020820>
- World Bank. (2022). *World Development Indicators*. World Bank.
- Xie, H., Jiang, M., Zhang, D., Goh, H. H., Ahmad, T., Liu, H., Liu, T., Wang, S., & Wu, T. (2023). Intellisense Technology in The New Power Systems. *Renewable and Sustainable Energy Reviews*, 177, 113229. <https://doi.org/10.1016/j.rser.2023.113229>
- Ye, X., Zhang, Z., & Qiu, Y. L. (2023). Review of Application of High Frequency Smart Meter Data in Energy Economics and Policy Research. *Frontiers in Sustainable Energy Policy*, 2, 1171093. <https://doi.org/10.3389/fsuep.2023.1171093>